

SHUTTER COLLECTION

shutter[®]
GUARD

HURRICANE
shutters

THERMOWOOD[®]
shutters



0861-1-TAYLOR (829567)

www.taylorblinds.co.za

TAYLOR
BLINDS & SHUTTERS Est.1959

OFFICES & SHOWROOMS

CPT: 10 Hoist Avenue, Montague Gardens | +27 (0) 21 552-5080 | sales@taylorblinds.co.za
JHB: 83 Voorraadskip St, Honeydew Ext 20 | +27 (0) 11 794-1743 | salesjhb@taylorblinds.co.za



shutter® GUARD



The art of security & style, in one innovative product.



SECURITY



10 YEAR WARRANTY



RUST PROOF



OUTDOOR



INDOOR



CUSTOM COLOURS



ShutterGuard® Aluminium Security Shutters are a savvy, stylish, safety solution for windows or doors – offering security without compromising the aesthetics of your home, commercial or retail space.

The patented Gear-lock keeps the shutters in place. A 6cm patented bolt secures the shutters to the floor, leaving no leverage to lift the lock out of the track. A 3.4cm bolt secures the top track when locked. The Cisa system allows you to lock the shutters with a unique security key. Should you wish to have a double-sided lock please request this with us.

TECHNICAL SPECIFICATIONS

| | |
|------------------------|----------------------|
| UV Blockage: | 100% when closed |
| Weight: | 14 kg/m ² |
| Min/Max Width: | 250 - 850mm |
| Min/Max Height: | 650 - 2900mm |
| Material: | Aluminium |

TECHNICAL FEATURES

-  Security
-  10 Year Warranty
-  Impervious to moisture
-  Will not crack, split or warp
-  Rust Proof
-  Easy to clean
-  Control of light, noise and temperature



6cm patented bolt secures shutters to floor when locked

Gear Lock System

Security pin to lock louvres shut

STANDARD COLOURS



Matte Anthracite Grey

Matte Bronze

Matte Light Grey


Matte Stone Grey

Matte White


CUSTOM COLOURS

Custom colours are available, please speak to your sales representative. An additional fee will apply on all custom colours. Manufacture lead times require an extra 5 days.


TRACK OPTIONS



CONFIGURATIONS



PIVOT OPTIONS





HURRICANE shutters



Let the sunshine in.

 10 YEAR WARRANTY

 RUST PROOF

 OUTDOOR

 INDOOR

 CUSTOM COLOURS



Hurricane Aluminium Shutters were originally designed to protect windows and doors from storms and high winds without compromising the aesthetics of a home.

These stylish shutters, made entirely from aluminium, are not only good to look at but are functional, durable, won't rust, are easy to clean and therefore come with a 10 year warranty. As with ShutterGuard®, the folding, louvred shutters will open up a room as well as control light, noise and temperature.

TECHNICAL SPECIFICATIONS

| | |
|------------------------|----------------------|
| UV Blockage: | 100% when closed |
| Weight: | 14 kg/m ² |
| Min/Max Width: | 250 - 850mm |
| Min/Max Height: | 500 - 2900mm |
| Material: | Aluminium |

TECHNICAL FEATURES

-  10 Year Warranty

-  Control of light, noise and temperature

-  Impervious to moisture

-  Will not crack, split or warp

-  Rust Proof

-  Easy to clean




Hurricane sliding lock



Pin used to lock louvres

STANDARD COLOURS



Matte Anthracite Grey



Matte Bronze



Matte Light Grey



Matte Stone Grey




Matte White

CUSTOM COLOURS


Custom colours are available, please speak to your sales representative. An additional fee will apply on all custom colours. Manufacture lead times require an extra 5 days.

TRACK OPTIONS




LIP track which has a 'lip' coming up and over and lies against the top frame opening, to neaten it off.

Top track with lip
(To neaten uneven walls, window frames, gaps etc)




NO LIP The top track fits in flush with the opening and doesn't come up and over the top wall opening.

Top track without lip



Bottom track / raised **Bottom track / recessed**



Face fixed with top track
(stands proud against the opening)




Reveal fixed with top track
(set inside the window/door reveal)


CONFIGURATIONS




Bi fold




Cottage




Cottage arch
(please note no bottom track)



Bi pass




Slider



Floating
(When stacked shutters can move left or right)

PIVOT OPTIONS



PIVOT either the extreme left or extreme right shutter is fixed and does not move. The other shutters therefore pivot from this fixed point

Pivot, either left or right



THERMOWOOD[®] shutters



Natural light. Privacy on demand.



3 YEAR WARRANTY



RUST PROOF



INDOOR ONLY



CONTROL LIGHT, NOISE & TEMPERATURE



Thermowood® Shutters are practical and elegant, custom-made, louvre door shutters, manufactured from a durable, specially engineered wood substitute – extruded PVC – that has been thoroughly tested under stringent humid, hot and dry conditions to ensure longevity.

Whether you want to invite light and a sense of space into your home at the ocean's edge or in the middle of the Karoo, or whether you are looking for a room divider or alternative cupboard door in a room influenced by moisture, Thermowood® Shutters will deliver on its' promise of merging indoor and outdoor living – elegantly.

TECHNICAL SPECIFICATIONS

| | |
|------------------------|---------------------|
| UV Blockage: | 100% when closed |
| Weight: | 8 kg/m ² |
| Min/Max Width: | 240 - 600mm |
| Min/Max Height: | 450 - 2900mm |
| Material: | Extruded PVC |



Side profile of Thermowood® louvre Thermowood® louvres with tiltrod

TECHNICAL FEATURES

- ✓ 3 Year Warranty
- ☀ Control of light, noise and temperature
- 💧 Impervious to moisture
- 🔪 Will not crack, split or warp
- 🛡 Rust Proof
- 🧽 Easy to clean


AVAILABLE STANDARD COLOURS




CUSTOM COLOURS

Kindly note no custom colours are available for Thermowood®

TRACK OPTIONS



Top track with lip
(To neaten uneven walls, window frames, gaps etc)



Top track without lip



Face fixed with top track
(stands proud against the opening)




Reveal fixed with top track
(set inside the window/door reveal)

PIVOT OPTIONS

CONFIGURATIONS

TILT ROD


Tilt rods offer owners the opportunity to open and close the shutters with the rod which is placed on the louvres, running down the middle of each shutter pane.




Pivot, either left or right




Bi fold




Standard Frame



Decorative Frame



With tilt rod



Without tilt rod
(also known as clear view)

HOW OUR RANGE OF SHUTTERS STACK UP



ShutterGuard® Aluminium Security Shutters

Hurricane Aluminium Shutters

Thermowood® Shutters

| | | | |
|--|--|---|--|
| Material | Aluminium | Aluminium | Extruded PVC (specially engineered wood substitute) |
| Internal use | ✓ | ✓ | ✓ |
| External use | ✓ | ✓ | ✗ |
| Rustproof | ✓ | ✓ | ✓ |
| Deliver on security | ✓ | ✗ | ✗ |
| Stackable | ✓ | ✓ | ✓ |
| Suitable for doors & windows | ✓ | ✓ | ✓ |
| Warranty | 10 years | 10 years | 3 years |
| Colours <small>*see below for custom colour timings and surcharge</small> | Matte White, Matte Bronze, Matte Light Grey, Matte Stone Grey, Matte Anthracite Grey | Matte White, Matte Bronze, Matte Light Grey, Matte Stone Grey, Matte Anthracite Grey | Satin White, Magnolia, Lime Wash, Alu-White, Holland or Smoke. <small>No custom colours available.</small> |
| Manufacture time <small>Excluding delivery which requires 5 - 7 working days from our Cape Town factory.</small> | 2 weeks: Matte White, Matte Bronze 3 weeks: Matte Light Grey, Matte Stone Grey, Matte Anthracite Grey <small>Custom colours available*</small> | 2 weeks: Matte White, Matte Bronze 3 weeks: Matte Light Grey, Matte Stone Grey, Matte Anthracite Grey <small>Custom colours available*</small> | 2 weeks: All standard colours |
| Configurations | Bi-Fold, Bi-Pass, Slider, Cottage Style or Cottage Arch Frame configuration | Bi-Fold, Bi-Pass, Slider, Cottage Style or Cottage Arch Frame configuration | Bi-Fold, Bi-Pass, Cottage Style Frame, Cottage Arch Frame, Standard Frame or Decorative Frame. Available with centre located tilt rod or clearview options. |
| Sizes | Min-Max shutter width: 250-850mm Min-Max shutter height: 650-2900mm | Min-Max shutter width: 250-850mm Min-Max shutter height: 500-2900mm | Min-Max shutter width: 240-600mm Min-Max shutter height: 450-2900mm |
| Mechanism / Components | Supplied with hinges, brackets, tall screws and plugs, and tracks for smooth operation | Supplied with hinges, brackets, tall screws and plugs, and tracks for smooth operation | Supplied with Clearview (no tiltrod) or Tiltrod (middle of the louvres running vertical) and tracks for smooth operation |
| Light Control | Yes. Light control depends on the louvres tilt when closing/opening. | Yes. Light control depends on the louvres tilt when closing/opening. | Yes. Light control depends on the louvres tilt when closing/opening. |
| Privacy Control | 85 - 100% (not possible to see through closed shutters) | 85 - 100% (not possible to see through closed shutters) | 85 - 100% (not possible to see through closed shutters) |
| Security | ShutterGuard® is a security shutter system. Patented Taylor 2-way aluminium Gear-Lock System. Louvre lock pin to lock louvres. 6cm patented bolt secures shutters to the floor. 3.4cm bolt secures shutters to the top track. | Hurricane is not a security shutter system, however it does come with a louvre lock pin to secure your louvres in a closed position, as well as top and bottom sliding bolts. | Thermowood® is not a security shutter system. |

*Custom colours are available at a surcharge and will add an extra 1 week to the lead time